Casemix Service
HRG4

NHS
The Information Centre
for health and social care

HRG4 Grouper User Manual

HRG4 2010/11 Reference Costs Grouper

31 March 2011

RC 10/11

HRG4 2010/11 Reference Costs Grouper User Manual

Changes and corrections are made to this document from time to time. The document production date is shown on the front cover. Please check the Casemix website for the most up-to-date version at: www.ic.nhs.uk/hrg4groupermanual. This link is also available from the grouper 'Help' menu as 'Latest User Manual'.

Table of Contents

Copyright Information 3

Contact Information 3

About This Manual 3

Section One: Grouping Essentials 4

- Installing the Grouper 4
- File Grouping 4
- File Grouping Walk-Through 4
- Grouping Your Own Data 13

Section Two: Reference 14

- Input Data Files 14
- Record Definition Files 14
- Record Definition File Wizard 15
- Record Definition File Editor 18
- Subtraction of Days from Admitted Patient Care Duration 19
- Reports 20
- Single Spell Grouping 24
- Running the Grouper from the Command Line 26
- The Grouper Main Screen 28
- Process File 30
- Log Display Area 32
- Grouper Priority 33
- Displaying Files 35
- Picture 39
- Extract 41
- Database Selection Screen 43
- Current Database 44

Appendices 45

- Appendix A: Output Files 45
- Appendix B: U Groups and Error Reporting 61
- Appendix C: Sample Record Definition File 65

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

Copyright Information

The HRG4 grouper software and associated materials are the Copyright © of the NHS Information Centre.

Contact Information

If you have any queries about using the grouper application or about Healthcare Resource Groups, please direct them to NHS Information Centre's Contact Centre:

Telephone: 0845 300 6016 (Monday - Friday, 9am - 5pm)

Email: enquiries@ic.nhs.uk

Supporting documentation for HRG4 is available from our website at www.ic.nhs.uk/casemix.

About This Manual

The first section of this manual is a quick introduction to using the HRG4 2010/11 Reference Costs Grouper; this section is sufficient get you started using the application.

The second section is reference material that describes aspects of the grouper application in more detail.

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

Section One: Grouping Essentials

Installing the Grouper

If you don't feel confident to carry out the grouper installation process or you do not have permission to install applications on your employer's computer then you should contact your IT department about installation.

To install the grouper, download the HRG4 2010/11 Reference Costs Grouper installation file from the Casemix website to a suitable location on a local or network drive. The grouper installer is downloaded as a compressed file (.zip). Once downloaded, extract the file from the .zip file (one way is to right-click the .zip file and select 'Explore' from the resulting pop-up menu). Double-click the extracted executable file; this starts the grouper installer program. Follow the on-screen instructions.

File Grouping

File grouping is the process of adding HRGs and related fields to a data file. This is done by:

- Selecting an input data file (e.g. a month's Admitted Patient Care data).
- Selecting a Record Definition File (this tells the grouper about the input data file).
- Using the grouper application to append HRGs and related fields to a copy of the input data file.

File Grouping Walk-Through

This walk-through takes you through process of grouping a sample data file, downloaded from the Casemix website.

1) Create a folder into which the sample data file will be downloaded (e.g. `C:\hrg_data\`).

2) Download the sample Admitted Patient Care data file from www.ic.nhs.uk/hrg4groupermanual. This link is also available from the grouper 'Help' menu as 'Latest User Manual'.

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

3) Start the grouper. On the main screen ensure that the Database for Admitted Patient Care is selected in the 'Database' drop-down list:



4) Click the 'Browse…' button next to the 'Record Definition File' box.



Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

5) In the ‘Open’ form, browse for the sample Record Definition File (RDF) called ‘HRG4_sample_APC.rdf’. By default, the sample RDFs are located in a sub-folder of ‘`C:\Program Files\NHS IC\`’ (they are copied to the grouper application’s folder during application installation but the exact location of this folder varies because it can be changed by the person carrying out the installation).



Select the file ‘HRG4_sample_APC.rdf’ and click the ‘Open’ button.

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

The filename of the selected RDF will now be displayed in the ‘Record Definition File’ box.



6) From the ‘Tools’ menu select ‘Process File…’, this opens the Process File form. Click the browse button (folder icon) next to the ‘Input File’ field.


Process File
Input File
Input File:
Input data has headings
Output File
Output File:
Add headings to output data
Reports
FCE Daycases by TFC and HRG4
FCE Daycases Diagnosis/Procedure by TFC and HRG4
FCE Truncated Elective Inpatient Bed Days by TFC and HRG4
FCE Truncated Elective Inpatient Bed Days Diagnosis/Procedure by TFC and HRG4
FCE Truncated Non-Elective Inpatient Bed Days by TFC and HRG4
FCE Truncated Non-Elective Inpatient Bed Days Procedure/Diagnosis by TFC and HRG4
FCE Excess Inpatient Bed Days by TFC and HRG4
Select all reports
Deselect all reports
Process
Cancel

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

7) In the ‘Open’ form, select the input data file (the sample data file downloaded from the Casemix web site).



Click the ‘Open’ button.

The ‘Input File’ box on the Process File form will now display the path and filename for the input data file.


Process File
Input File
Input File:
C:\hrg_data\HRG4 Grouper APC sample.csv
Input data has headings
Output File
Output File:
Add headings to output data
Reports
FCE Daycases by TFC and HRG4
FCE Daycases Diagnosis/Procedure by TFC and HRG4
FCE Truncated Elective Inpatient Bed Days by TFC and HRG4
FCE Truncated Elective Inpatient Bed Days Diagnosis/Procedure by TFC and HRG4
FCE Truncated Non-Elective Inpatient Bed Days by TFC and HRG4
FCE Truncated Non-Elective Inpatient Bed Days Procedure/Diagnosis by TFC and HRG4
FCE Excess Inpatient Bed Days by TFC and HRG4
Select all reports
Deselect all reports
Process
Cancel

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

8) Ensure that the ‘Input data has headings’ check box is checked.


Process File
Input File
Input File:
C:\hrg_data\HRG4 Grouper APC sample.csv
Input data has headings
Output File
Output File:
Add headings to output data
Reports
FCE Daycases by TFC and HRG4
FCE Daycases Diagnosis/Procedure by TFC and HRG4
FCE Truncated Elective Inpatient Bed Days by TFC and HRG4
FCE Truncated Elective Inpatient Bed Days Diagnosis/Procedure by TFC and HRG4
FCE Truncated Non-Elective Inpatient Bed Days by TFC and HRG4
FCE Truncated Non-Elective Inpatient Bed Days Procedure/Diagnosis by TFC and HRG4
FCE Excess Inpatient Bed Days by TFC and HRG4
Select all reports
Deselect all reports
Process
Cancel

9) Click the browse button (folder icon) next to the ‘Output File’ field.


Process File
Input File
Input File:
C:\hrg_data\HRG4 Grouper APC sample.csv
Input data has headings
Output File
Output File:
Add headings to output data
Reports
FCE Daycases by TFC and HRG4
FCE Daycases Diagnosis/Procedure by TFC and HRG4
FCE Truncated Elective Inpatient Bed Days by TFC and HRG4
FCE Truncated Elective Inpatient Bed Days Diagnosis/Procedure by TFC and HRG4
FCE Truncated Non-Elective Inpatient Bed Days by TFC and HRG4
FCE Truncated Non-Elective Inpatient Bed Days Procedure/Diagnosis by TFC and HRG4
FCE Excess Inpatient Bed Days by TFC and HRG4
Select all reports
Deselect all reports
Process
Cancel

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

In the ‘Save As’ form, select the same folder that contains the input file (created at the start of this process) and type ‘output’ in the ‘File name’ box.



Click the ‘Save’ button. The ‘Output File’ box in the Process File form will now display the path and filename for the output file.


Process File
Input File
Input File:
C:\hrg_data\HRG4 Grouper APC sample.csv
Input data has headings
Output File
Output File:
C:\hrg_data\output.csv
Add headings to output data
Reports
FCE Daycases by TFC and HRG4
FCE Daycases Diagnosis/Procedure by TFC and HRG4
FCE Truncated Elective Inpatient Bed Days by TFC and HRG4
FCE Truncated Elective Inpatient Bed Days Diagnosis/Procedure by TFC and HRG4
FCE Truncated Non-Elective Inpatient Bed Days by TFC and HRG4
FCE Truncated Non-Elective Inpatient Bed Days Procedure/Diagnosis by TFC and HRG4
FCE Excess Inpatient Bed Days by TFC and HRG4
Select all reports
Deselect all reports
Process
Cancel

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

10) Ensure that the ‘Add headings to output data’ checkbox is checked.


Process File
Input File
Input File:
C:\hrg_data\HRG4 Grouper APC sample.csv
Input data has headings
Output File
Output File:
C:\hrg_data\output.csv
Add headings to output data
Reports
FCE Daycases by TFC and HRG4
FCE Daycases Diagnosis/Procedure by TFC and HRG4
FCE Truncated Elective Inpatient Bed Days by TFC and HRG4
FCE Truncated Elective Inpatient Bed Days Diagnosis/Procedure by TFC and HRG4
FCE Truncated Non-Elective Inpatient Bed Days by TFC and HRG4
FCE Truncated Non-Elective Inpatient Bed Days Procedure/Diagnosis by TFC and HRG4
FCE Excess Inpatient Bed Days by TFC and HRG4
Select all reports
Deselect all reports
Process
Cancel

11) Click the ‘Process’ button; this initiates HRG grouping. A progress bar shows the file being sorted. The sample file contains very few records so the sorting phase is brief.



Following the sorting phase the progress bar indicates the proportion of the file grouped so far.



Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

12) When grouping is complete, the progress bar and the Process File form will close and the application returns to its main screen. The log display area shows the status of the grouping session, including the number of records grouped (the counts may differ from those shown).


HRG4 2010/11 Reference Costs Grouper
File Edit Tools Help
Current Database
Database:
Admitted Patient Care HRG4
Description:
APC ICD10/OPCS4 Reference Costs Grouper 10/11
Record Definition File:
.\HRG4_sample_APC.rdf
Browse...
18 Mar 2011 13:33:03: Processing C:\hrg_data\HRG4 Grouper APC sample.csv
18 Mar 2011 13:33:05: Processed 100 records (100 grouped (100%)
18 Mar 2011 13:33:05: Process complete

13) Open Windows Explorer (or 'My Computer') and browse to the folder created at the beginning of this process. Double-click the file named '`output_fce.csv`', the file should open in Excel (if not, see 'Displaying Files' in the reference section of this document). The file is a copy of the input data file with HRGs and other related columns appended; scroll to the far-right of the file to see the columns that the grouper has appended.

File Edit View Insert Format Tools Data Window Help Adobe PDF

	AR	AS	AT	AU	AV	AW
1	RowNo	FCE_HRG	GroupingMethodFlag	DominantProcedure	FCE_PBC	CalcEpidur
2	1	MA01Z	P	P322	PBC0220C	209
3	2	LA09E	D		PBC0217B	7
4	3	GA05A	P	J572	PBC0204X	65
5	4	EB01Z	D		PBC0210X	1
6	5	QZ01A	P	L212	PBC0209X	88
7	6	FZ05B	P	G301	PBC0215X	190
8	7	AA21Z	P	A299	PBC0216X	27
9	8	HB14B	P	W396	PBC0201X	134

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

Grouping Your Own Data

The walk-through above should help you feel comfortable with the grouping process.

In order to group your own data correctly it is essential that your input data file and your Record Definition File (RDF) are compatible. To achieve this you can either:

- Create a data file that matches one of the sample RDFs provided with the grouper installation. There is one sample file for each type of data that the grouper can group (e.g. Admitted Patient Care data).

or

- Use the tools provided within the grouper to create an RDF that matches the format of your data file. The reference section of this document includes an explanation of how to do this.

Many users find the easier option is the first one i.e. to create a data file to match a supplied sample RDF.

If you create a data file to match one of the sample RDFs, you need to look at the sample RDF for the type of data that you want to group in order to understand the fields that are required in a data file, and their ordering. This can be done from within the grouper application; select 'Open RDF…' from the 'File' menu and browse within the application's installation folder for the required file. For example, if you are preparing an Admitted Patient Care data file, browse for the file 'HRG4_sample_APC.rdf'.

The fields in the RDF are referred to by abbreviated names. The fields are described in detail in the Guide to File Preparation document which is available from the downloads section of the Casemix website.

To group data correctly it is essential that the order of the fields in your input data file matches the order of the fields in the RDF that you are using. The grouper application relies entirely on the RDF to interpret the contents of the input data file.

***Important*:** if the field positions in your input data file do not match exactly those specified in your RDF then you are likely to group the data incorrectly i.e. produce incorrect HRGs.

Once you have an input data file of your own data and a matching RDF, you can simply substitute these in the walk-through above to group your own data.

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

Section Two: Reference

Input Data Files

It is important that an input data file is in the appropriate format and includes all the fields that are essential for grouping. The Guide to File Preparation document (available from the downloads section of the Casemix website) describes the input data file formats in detail.

Record Definition Files

The grouping process requires two files:

- An input file containing the data for grouping (e.g. a file of admitted patient care episodes).
- A Record Definition File.

A Record Definition File (RDF) is a text file that the grouper uses to identify the field position (column number) of each of the mandatory fields in an input file. The entries in an RDF act as pointers so that the grouper knows the location of each mandatory field in an input file. Each time the grouper is run, the user must ensure that an appropriate RDF is selected.

The mandatory field set in the RDF is different for each type of data that the grouper can process, thus a different RDF is required for each data type.

RDFs can be created and edited from within the grouper application. The grouper provides a wizard to assist in the creation of RDFs and an editor to view and modify existing RDFs. These facilities are described later in this document.

Once created, custom RDFs can be used repeatedly.

The grouper installation includes a number of sample RDFs; these can be found in the grouper application installation folder (typically within C:\Program Files\NHS IC\). The files are:

File Name	Data Type
HRG4_sample_APC.rdf	Admitted Patient Care.
HRG4_sample_NAC.rdf	Non-Admitted Consultations.
HRG4_sample_EM.rdf	Emergency Medicine.
HRG4_sample_NRD.rdf	Renal Dialysis (National Renal Dataset).
HRG4_sample_ACC.rdf	Adult Critical Care.
HRG4_sample_PCC.rdf	Paediatric Critical Care.
HRG4_sample_NCC.rdf	Neonatal Critical Care.

Appendix C shows a listing of one of the sample record definition files.

When grouping a data file, there are two possible sources for the RDF:

- A custom (user-created) RDF that matches the field order of the input data file.
- One of the sample RDFs provided with the grouper installation. In order to use a sample RDF for grouping, the user's input data file must match exactly the field order in the appropriate sample RDF.

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

For grouping, it is not necessary for the RDF to specify the position of every field in the input file; only the positions of the mandatory fields need to be specified. For a list of mandatory fields for each data type see the Guide to File Preparation document which is available from the downloads section of the Casemix website.

For certain data items, the RDF can specify the number of repeated fields that exist in the input file. For example, in Admitted Patient Care, the number of procedure codes listed in the RDF is 12 by default. Where user's data contains more than 12 procedure codes, additional procedure code fields can be included in the RDF. The number of fields cannot be decreased, only increased beyond the default value. The RDF wizard provides the facility to increase these fields where appropriate.

Where the input file contains fields that are not specified in the RDF, the grouper ignores these fields during processing and passes them to the output file. The Record Definition File Editor provides the facility to insert fields into the RDF; doing so is not necessary for grouping. The only reason to specify additional input fields in the RDF is where the grouper's internal file viewer will be used to view the output files; the internal file viewer displays only those fields that are specified in the RDF.

Record Definition File Wizard

The Record Definition File Wizard helps the user to create an RDF. It is accessed via the 'New RDF' item on the 'File' menu.

Using the Record Definition File Wizard: Step One

The first step in the wizard has two components:

- Selecting the database; the type of data file with which the RDF will be used (e.g. Admitted Patient Care).
- Selecting of the method of creating the RDF: either manually or by using a sample file as a template.


Record Definition File Wizard
Database:
Admitted Patient Care HRG4
Description: APC ICD10/OPCS4 Reference Costs Grouper 10/11
Data Definition Method
Create fields manually
Enter field positions and characteristics directly using the Record Definition File editor.
Create from a sample file
Visually define field positions from a sample input file.
Cancel
Next

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

The ‘Create fields manually’ option allows the user to use a grid to define field positions and attributes. Selecting this option and clicking the ‘Next’ button jumps straight to the RDF editor grid (see section ‘Record Definition File Editor’).

The ‘Create from a sample file’ option allows the user to create an RDF interactively using a sample data file. Selecting this option and clicking ‘Next’ will prompt the user to select the sample data file on which the RDF is to be based (see step two below).

Using the Record Definition File Wizard: Step Two

Where ‘Create from a sample file’ is selected in the form described in Step One, the user is prompted to browse for an input data file, after which the form shown below is displayed:



The first row of the selected input data file is displayed in the lower part of the form (the preview area), temporary field names (‘Field 1’ etc.) are shown immediately above it.

The preview area automatically assigns field positions based on the comma positions in the sample input data file.

Depending on the data type, the number of repeating occurrences of certain fields (e.g. ‘Number of diagnosis codes’) can be edited to accommodate the user’s particular data recording conventions. The Guide to File Preparation document indicates where this is appropriate for each data type.

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

All entries in the Mandatory Fields list must be assigned to fields in the sample file. Fields are assigned by using the mouse to drag the field name from the list to the appropriate field in the preview area. Fields appear in the Assigned Fields list as they are used. The screenshot below shows the process partially completed (some fields assigned):



Multiple fields can be selected using the SHIFT and CTRL keys in combination with mouse clicks. The selected collection of fields can then be dragged to the preview area.

To remove an assigned field, select it in the Assigned Fields list and press the Delete key. The field will be returned to the Mandatory Fields list at the bottom (which may not be its original position).

When all fields have been assigned, click ‘OK’ to proceed. The RDF will be opened in the RDF editor (see next section), allowing checking and any required amendments.

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

Record Definition File Editor

Selecting ‘Open RDF’ from the ‘File’ menu prompts the user to select a record definition file and opens it for editing.


HRG4 2010/11 Reference Costs Grouper
File Edit Tools Help
C:\Program Files\NHS IC\HRG4 2010_11 RC Grouper\HRG4_sample_APC.rdf
Field Name | Field Title | Field No | Picture | Extract
PROCODET | PROCODET | 1
PROVSPNO | PROVSPNO | 2
EPIORDER | EPIORDER | 3
STARTAGE | STARTAGE | 4
SEX | SEX | 5
CLASSPAT | CLASSPAT | 6
ADMISORC | ADMISORC | 7
ADMIMETH | ADMIMETH | 8
DISDEST | DISDEST | 9
DISMETH | DISMETH | 10
EPIDUR | EPIDUR | 11
Current Database
C:\Program Files\NHS IC\HRG4 2010_11 RC Grouper\HRG4_sample_APC.rdf
NHS
The Information Centre
for health and social care
RC 10/11
18 Mar 2011 13:33:03: Processing C:\hrg_data\HRG4 Grouper APC sample.csv
18 Mar 2011 13:33:05: Processed 100 records (100 grouped (100%), 0 ungrouped (0%)
18 Mar 2011 13:33:05: Process complete

The record definition file editor enables the modification of field positions and field attributes in a record definition file.

Field Name	Field abbreviation. This is for internal use and cannot be modified.
Field Title	Field description - can be edited by the user to show a locally-defined name for the field.
Field No	The field position in the input file.
Picture	Specifies whether specific character positions in the field are used or ignored during processing. See the ‘Picture’ section later in this document.
Extract	Allows the user to specify that specific characters (in any position) in the field are ignored during processing. See the ‘Extract’ section later in this document.

The ‘Insert’ toolbar button inserts a new field in the RDF. This feature is provided so that non-mandatory fields in files can be shown using the grouper’s ‘Display File’ feature. For grouping, it is not necessary for the RDF to specify the positions of all the fields in the input file; only the mandatory fields need to be specified.

The ‘Delete’ toolbar button removes a field from the RDF. Mandatory fields cannot be deleted.

When the RDF is saved the user will be informed if any validation checks (such as conflicting field positions) have been failed. Any such issues must be resolved before the file can be saved.

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

Subtraction of Days from Admitted Patient Care Duration

The Grouper facilitates the subtraction of days for Critical Care, Rehabilitation and Specialist Palliative Care from finished Consultant Episode and Hospital Provider Spell durations.

Where the user populates the appropriate input data fields with numbers representing the relevant days of activity, these will be used by the grouper to calculate modified output fields.

Although these input fields are mandatory (i.e. the columns must exist in the input data file) they may be left blank or populated with zeros where appropriate.

For further guidance on using this facility, please see the Guide to File Preparation document which is available from the Casemix website.

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

Reports

The reports are created specifically to support the NHS Reference Costs process; they are not intended for any other purpose.

The reports are produced as xml spreadsheets; these can be opened using Microsoft Excel version 2002 or later.

There is a limit to the number of rows in an Excel worksheet, the limit varies depending on the version of Excel. When opening a file where the number of rows exceeds the available number of worksheet rows, Excel will display an error message such as 'Problems During Load'.

Admitted Patient Care

Truncation

Where the report title includes the word 'truncated' this means that any episodes having a duration that exceeds the reference costs trimpoint use the trimpoint as the episode duration i.e. they are truncated at the trimpoint. The excess bed days report shows the total days where trimpoints have been exceeded.

Automatic Adjustments in Admitted Patient Care reports

During report generation, one day is automatically added to the episode duration of zero-length ordinary admission episodes (Patient Classification = 1). This is in line with NHS Reference Costs guidance. This does not apply to daycases.

FCE Reports

Report Title	Command line	Output file name extension
FCE Daycases by TFC and HRG4	APCFCEReport001.rgf	_APCFCEReport001.xml
FCE Daycases Diagnosis/Procedure by TFC and HRG4	APCFCEReport002.rgf	_APCFCEReport002.xml
FCE Truncated Elective Inpatient Bed Days by TFC and HRG4	APCFCEReport003.rgf	_APCFCEReport003.xml
FCE Truncated Elective Inpatient Bed Days Diagnosis/Procedure by TFC and HRG4	APCFCEReport004.rgf	_APCFCEReport004.xml
FCE Truncated Non-Elective Inpatient Bed Days by TFC and HRG4	APCFCEReport005.rgf	_APCFCEReport005.xml
FCE Truncated Non-Elective Inpatient Bed Days Procedure/Diagnosis by TFC and HRG4	APCFCEReport006.rgf	_APCFCEReport006.xml
FCE Excess Inpatient Bed Days by TFC and HRG4	APCFCEReport007.rgf	_APCFCEReport007.xml

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

Report Title	Command line	Output file name extension
Unbundled HRG4 - Admitted Patient Care	APCFCEReport008.rgf	_APCFCEReport008.xml
Truncated Non-elective long-stay	APCFCEReport009.rgf	_APCFCEReport009.xml
Truncated Non-elective long-stay emergency	APCFCEReport010.rgf	_APCFCEReport010.xml
Truncated Non-elective long-stay non-emergency	APCFCEReport011.rgf	_APCFCEReport011.xml
Non-elective short-stay	APCFCEReport012.rgf	_APCFCEReport012.xml
Non-elective short-stay emergency	APCFCEReport013rgf	_APCFCEReport013.xml
Non-elective short-stay non-emergency	APCFCEReport014.rgf	_APCFCEReport014.xml

Spell Reports

Report Title	Command line	Output file name extension
Spell Daycases by HRG4	APCSpellReport001.rgf	_APCSpellReport001.xml
Spell Daycases Diagnosis/Procedure by HRG4	APCSpellReport002.rgf	_APCSpellReport002.xml
Spell Truncated Elective Inpatient Bed Days by HRG4	APCSpellReport003.rgf	_APCSpellReport003.xml
Spell Truncated Elective Inpatient Bed Days Diagnosis/Procedure by HRG4	APCSpellReport004.rgf	_APCSpellReport004.xml
Spell Truncated Non-Elective Inpatient Bed Days by HRG4	APCSpellReport005.rgf	_APCSpellReport005.xml
Spell Truncated Non-Elective Inpatient Bed Days Diagnosis/Procedure by HRG4	APCSpellReport006.rgf	_APCSpellReport006.xml
Spell Excess Inpatient Bed Days by HRG4	APCSpellReport007.rgf	_APCSpellReport007.xml
Note: there is no report 008 for Spells		
Non-elective long-stay	APCSpellReport009.rgf	_APCSpellReport009.xml
Non-elective long-stay emergency	APCSpellReport010.rgf	_APCSpellReport010.xml
Non-elective long-stay non-emergency	APCSpellReport011.rgf	_APCSpellReport011.xml
Non-elective short-stay	APCSpellReport012.rgf	_APCSpellReport012.xml
Non-elective short-stay emergency	APCSpellReport013.rgf	_APCSpellReport013.xml
Non-elective short-stay non-emergency	APCSpellReport014.rgf	_APCSpellReport014.xml

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

Non-Admitted Consultations

Report Title	Command line	Output file name extension
Non-Admitted Consultations (Excluding Chapter WF) by TFC and HRG4	NACReport001.rgf	_NACReport001.xml
Non-Admitted Consultations (Chapter WF Only) by TFC and HRG4	NACReport002.rgf	_NACReport002.xml
Unbundled HRG4 - Non-Admitted Consultations	NACReport003.rgf	_NACReport003.xml

Adult Critical Care

Report Title	Command line	Output file name extension
Adult Critical Care by HRG4	ACCReport001.rgf	_ACCReport001.xml

Emergency Medicine

Report Title	Command line	Output file name extension
Emergency and Urgent Care by HRG4 (A&E)	EMReport001.rgf	_EMReport001.xml

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

Report Production

The user has the option of producing reports either during processing a file or as a separate operation.

To produce reports during file processing, select the required reports in the Process File form. This is done using the check boxes next to the report names.

To produce reports based on a data file that has already been grouped, select 'Run Reports' from the 'Tools' menu. This opens the Run Reports form (shown below) which allows selection of the grouped data file and the record definition file that was used to group it. Select the required reports from the list by clicking the checkboxes and click the 'Process' button


Run Reports
File Format
Record Definition File:
gram Files\NHS IC\HRG4 2010_11 RC Grouper\HRG4_sample_APC.rdf
Previously processed non-relational FCE file
Filename:
P:\HRG Data\output_FCE.csv
Data has headings
Reports
FCE Daycases by TFC and HRG4
FCE Daycases Diagnosis/Procedure by TFC and HRG4
FCE Truncated Elective Inpatient Bed Days by TFC and HRG4
FCE Truncated Elective Inpatient Bed Days Diagnosis/Procedure by TFC and HRG4
FCE Truncated Non-Elective Inpatient Bed Days by TFC and HRG4
FCE Truncated Non-Elective Inpatient Bed Days Procedure/Diagnosis by TFC and HRG4
FCE Excess Inpatient Bed Days by TFC and HRG4
Unbundled HRG4 - Admitted Patient Care
FCE Truncated Non-Elective Long-Stay Inpatient Bed Days by TFC and HRG4
FCE Truncated Non-Elective Long-Stay Emergency* Inpatient Bed Days by TFC and HRG4
FCE Truncated Non-Elective Long-Stay Non-Emergency* Inpatient Bed Days by TFC and HRG4
FCE Non-Elective Short-Stay Inpatient Bed Days by TFC and HRG4
FCE Non-Elective Short-Stay Emergency* Inpatient Bed Days by TFC and HRG4
FCE Non-Elective Short-Stay Non-Emergency* Inpatient Bed Days by TFC and HRG4
Deselect all
Select all
Process
Cancel

It is crucial that the file selected in the 'Filename' box is a previously processed non-relational FCE output file (the output file that has the name ending in '_FCE.csv'). The use of other output files will result in reports that are either blank or contain incorrect figures.

Note that reporting from a previously grouped file should only be done if the grouped file was produced using the same version of the HRG4 Reference Costs Grouper as that which is being used for reporting.

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

Single Spell Grouping

Single spell grouping facilitates grouping of individual records using data manually entered by the user. This can be useful when exploring how certain combinations of clinical codes lead to the derivation of HRGs.

A database and a matching record definition file must be selected in the grouper's main screen in order to use single spell grouping.

Selecting 'Single Spell…' from the 'Tools' menu displays the Single Spell Grouping form shown below:



The upper area is for data input, the central area is used to display the output (HRGs etc.) and the lower area is used to display any error messages.

When the form is first displayed, the data input area is populated with default values for the currently selected database's mandatory fields.

The user can add or edit data in the 'Value' column; the Enter key must be pressed after adding or editing a value otherwise the grouper will ignore the new value. Where the item has a related text description, this is displayed in the 'Description' column when a valid code has been entered.

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

Clicking the ‘Click to add episode’ header bar will open an adjacent set of columns allowing values for additional episodes to be entered and grouped as part of the same spell. This is appropriate only when grouping Admitted Patient Care records, where the spell HRG of a multi-episode spell may differ from the HRGs of the constituent records.

Clicking the ‘Group’ button will process the values entered and will display the HRG and other derived information in the output area.

Users should be aware that the order of clinical codes can affect the HRG derived.

Where input data fails the grouper’s validation, the HRG UZ01Z (Data Invalid for Grouping) is derived, the field(s) that failed validation being displayed in the lower area of the window.

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

Running the Grouper from the Command Line

'Command line' refers to the character-based command shell user interface provided with Microsoft Windows. The Grouper can process a file using the command line and parameters shown below. Mandatory parameters are enclosed within <angle brackets>; optional parameters are enclosed within [square brackets].

The command line takes the form:

```
HRGGrouper -i<Input File> -o<Output File> -d<Record Definition File>
-l<Grouping Logic> [-h] [-t] [-p] [-r<report filename>]
```

The command line parameters (all consist of a hyphen followed by a lower-case letter) are:

`-i` The path and filename of the **i**nput file.

`-o` The path and filename of the **o**utput file.

`-d` The path and filename of the record **d**efinition file.

`-l` The grouping **l**ogic (see below for accepted values).

`-h` Optional. Where present, indicates that the input file has a **h**eader row (field names). Omit this parameter where the first row in the file is a data row.

`-t` Optional. Where present, **t**urns off the generation of output file header rows (field names).

If this parameter is omitted then each of the output files will contain a header row.

`-p` Optional. Where present, sets the **p**riority of the grouping process. The available values are 1, 2 and 3.1='Normal' (grouper priority equal to that of other applications), 2='Lower' (grouper yields to other applications), 3='Idle' (grouper only processes data when other applications don't require processor time).

If this parameter is omitted, the priority is set to 1 ('Normal').

`-r` Optional. Where present, specifies one of the built-in reports (see list in reports section below). The `-r` flag can be repeated to specify the production of more than one report. The report names are the filenames of .rgf files supplied as part of the Grouper installation.

If this parameter is omitted, reports are not produced.

`-?` Optional. Where present, directs the grouper to list the available command line parameters to the `hrg.log` file in the grouper program folder. This parameter cannot be combined with other parameters.

Where there are spaces in paths or filenames for parameter values, the parameter value must be enclosed within double-quotes.

The available Grouping Logic parameters are:

`apc_v44rc`	Admitted Patient Care
`nap_v44rc`	Non-Admitted Consultations
`em_v44rc`	Emergency Medicine
`nrd_v44rc`	Renal Dialysis (National Renal Dataset)
`acc_v44rc`	Adult Critical Care
`ncc_v44rc`	Neonatal Critical Care

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

`pcc_v44rc` Paediatric Critical Care

Although the Grouping Logic parameters listed above are the names of '`.tre`' files in the grouper installation folder, the path to the file must not be included in the `-l` parameter; the parameter should be used only as listed above.

Before running the grouper from the command line, the working directory should be set to the directory of the appropriate grouper executable (HRGGrouper.exe). Use full path names for the input file, the output file and the record definition file where they are located in other directories.

Messages generated by the application while running in command-line mode (e.g. the number of records processed) are written to the `hrg.log` file in the grouper's installation folder.

Errors in the command line, such as specifying a non-existent input file, cause an entry to be created in the `hrg.log` file. In addition, a non-zero exit code is returned. This means that a batch file or command file can check whether a command has passed validation by checking the value of `%errorlevel%`.

A sample batch file, using the grouper's command line interface, is shown below:

```
@echo off

C:

cd "Program Files\NHS IC\HRG4 2010_11 RC Grouper"

HRGGrouper -i "P:\HRG Data\HRG4\100 episodes\apc100.CSV" -o "P:\HRG
Data\HRG4\100 episodes\out.csv" -d "HRG4_sample_APC.rdf" -l apc_v44rc
-h -p 3 -r APCFCEReport001.rgf -r APCFCEReport002.rgf

IF %ERRORLEVEL% NEQ 0 echo Error in command, please check hrg.log

pause
```


Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

The Grouper Main Screen

The Main Screen consists of a main menu, a toolbar, a tabbed display and a log display area.

The text boxes on the Main Screen are sized according to the grouper window's width; making the grouper window wider elongates the text boxes.

Main Menu

Menu	Menu Item	Function
File		
	New RDF	Opens the RDF Wizard.
	Open RDF...	Opens a selected RDF for editing or review within the tabbed display area.
	Save	Saves a currently open RDF (only available when an RDF is being edited).
	Save As...	Saves a currently open RDF with the option to rename or change location (only available when an RDF is being edited).
	Exit	Closes the application.
Edit		
	Insert Field	Inserts a new line in an RDF for user-defined fields (only available when an RDF is being edited).
	Delete Field	Deletes the currently selected user-defined field in an RDF (only available when an RDF is being edited).
Tools		
	Process File...	Opens the Process File form.
	Single Spell...	Opens the Single Spell Grouping form.
	Display File...	Opens a selected file within the tabbed display area.
	Run Reports...	Opens the Run Reports form.
	Select Database...	Opens the Database Selection form.
Help		
	Latest User Manual	Opens a web page where the latest user manual can be opened or downloaded.
	About...	Opens the About screen to display application version and contact information.

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

Toolbar

Icon	Equivalent menu item	Function
	New RDF	Opens the RDF Wizard.
	Open RDF...	Opens a selected RDF for editing or review within the tabbed display area.
	Save	Saves a currently open RDF (only available when an RDF is being edited).
	Insert Field	Inserts a new line in an RDF for user-defined fields (only available when an RDF is being edited).
	Delete Field	Deletes the currently selected user-defined field in an RDF (only available when an RDF is being edited).
	Process File...	Opens the Process File form.
	Run Reports...	Opens the Run Reports box.
	Display File...	Opens a selected file within the tabbed display area.
	Single Spell...	Opens the Single Spell Grouping form.

Tabbed Display Area

This area shows screens that can be viewed by selecting the tabs at the bottom of the window when more than one of the following is open:

- Database Selection
- Record Definition File Editor
- File Display

Log display area

This area displays messages about the grouping session.

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

Process File

Selecting ‘Process File…’ from the ‘Tools’ menu opens the Process File form which includes the following:

Input File

Select the input data file using the browse button (folder icon) next to the input file field, this displays an ‘Open’ form.

In the ‘Open’ form, with the default setting of 'Input files' selected in the 'Files of type' list, only files with '`.csv`' and '`.txt`' extensions are listed. Change this value to ‘All Files’ if the input file name has a different extension.

Input data has headings

Check this box should if the input data file includes field names in the first row.

Output File

This box has two functions:

- To define the folder where the output files (containing grouped data) will be saved.
- To specify a file name prefix that all the output files from this session will share.

For example, if the user enters `c:\temp\output.csv` then all the output files will be saved to the folder c:\temp\ and all the output file names will be prefixed with ‘output’. The grouper adds to this a standard file name suffix for each output file. See Appendix A for a list of standard output file name suffixes.

Select the location and naming prefix for the output files using the browse button (folder icon) next to the output file field.

Add headings to output data

Check this box if the grouper should add field names for grouper-generated fields in the first row of the output files.

Reports

Select the reports required; these will be produced as part of the grouping session. See the Reports section within this document for further information.

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.


Process File
Input File
Input File:
C:\HRG Data\HRG4\100 episodes\apc100.CSV
Input data has headings
Output File
Output File:
C:\HRG Data\HRG4\100 episodes\100 episodes-out.csv
Add headings to output data
Reports
FCE Daycases by TFC and HRG4
FCE Daycases Diagnosis/Procedure by TFC and HRG4
FCE Truncated Elective Inpatient Bed Days by TFC and HRG4
FCE Truncated Elective Inpatient Bed Days Diagnosis/Procedure by TFC and HRG4
FCE Truncated Non-Elective Inpatient Bed Days by TFC and HRG4
FCE Truncated Non-Elective Inpatient Bed Days Procedure/Diagnosis by TFC and HRG4
FCE Excess Inpatient Bed Days by TFC and HRG4
Select all reports
Deselect all reports
Process
Cancel

Process Button

When all selections have been made, clicking the 'Process' button initiates grouping of the input file. A progress bar is displayed.



The grouping process priority can be modified at this stage, see section 'Grouper Priority' below for details.

When grouping is complete, the progress bar and the Process File form close and the application returns to the Main Screen.

It is very important that the user examines the entries in the log display area after grouping. Where problems are encountered during grouping they are reported in the log display area (see below).

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

Log Display Area

The log display area is located at the bottom of the grouper's main screen:

The log display area should be checked after every grouping session as it indicates whether problems were encountered during grouping.

Where records fail grouping (due to data validation) this will be indicated by the 'ungrouped' count.

For Admitted Patient Care data, the number 'ungrouped' in the log may not agree to the number of records in the `_quality.csv` output file. This is because the log shows the number of consultant episodes that failed validation but the quality file includes valid episodes that form part of spells containing episodes that failed validation i.e. some of the episodes in the `_quality.csv` output file are valid episodes that have been grouped.

All comments displayed in the log display area are also added to the `hrg.log` text file in the grouper installation folder.

The log display area is cleared when the grouper is closed.

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

Grouper Priority

The grouping process uses a lot of processor time; on some computers this can make other applications slow and unresponsive during grouping. To reduce the impact of the grouping process on other applications, while the progress bar is displayed, the grouper's priority can be set using the 'Priority' radio buttons.



The progress bar is not shown when the grouping run is initiated from the command line.

There are three settings for priority:

- 'Normal' - This gives the grouper the same priority as other applications, other applications may be slowed down while the grouper is running.
- 'Lower' - reduces the grouper's use of processor time, giving priority to other applications.
- 'Idle' - minimises the grouper's use of processing resources, the grouper will only process data when no other applications require processing resources.

'Priority' can be changed for the current grouping run only, each time a file is processed 'Priority' will automatically be set to 'Normal'.

The 'Priority' options on the progress bar provide a shortcut to the thread priority settings in the Windows Task Manager. In Windows Task Manager, the same effect can be achieved by setting the grouping process (HRGGrouper.exe) priority to 'Normal', 'BelowNormal' or 'Low', see screenshot below:



Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

Where the grouper is run from the command line, the progress bar is not displayed thus there is no access to the ‘Priority’ radio buttons. To set the priority for a grouping process run from the command line, use the Windows Task Manager as described above.

Warning: the grouping process priority should not be set higher than ‘Normal’ in Windows Task Manager. Setting the grouping process priority above ‘Normal’ might prevent Windows system services from running and could destabilise the system.

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

Displaying Files

Grouper output files are comma-separated (`.csv`) text files and thus can be opened using a variety of applications.

Displaying Files in Microsoft Excel

Usually, comma-separated files are associated with Excel which means that double-clicking a `.csv` file opens it in Excel. On computer systems where `.csv` files do not by default open in Excel, select 'Open…' from Excel's 'File' menu. When the 'Open' dialog appears, select 'Text Files' from the 'Files of type' drop-down box; `.csv` files will be displayed in the file list.



There is a limit to the number of rows in an Excel worksheet, the limit varies depending on the version of Excel. When opening a file where the number of rows exceeds the available number of worksheet rows, Excel will display an error message such as 'Problems During Load'.

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

Using the Grouper's Internal File Viewer

The application provides a file viewer which can be used to view grouper output files. To access the file viewer, select 'Display File' item on the 'Tools' menu. This opens an 'open' form.

To display output files in the 'open' form's file list ensure that the 'Files of type' drop-down list is set to "`*.inp,*.out,*.csv,*.txt`"



When a file is opened, the fields displayed are restricted to those defined in the currently active Record Definition File (RDF). This means that in order to use 'Display File' to view the columns that grouping appends during file processing, an RDF must be created that includes those fields.

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

The field names and any Picture and Extract values (see separate sections in this document) from the RDF are applied.


HRG4 2010/11 Reference Costs Grouper
File Edit Tools Help
output FCE.csv
PROCODET PROVSPNO EPIORDER STARTAGE SEX CLASSPAT ADMISORC
OrgCode SpellNum EpNum Age Sex PatCla AdmSrc
SAMPLE 01 1 86 9 4 88 82
SAMPLE 01 2 86 9 4 88 82
SAMPLE 01 3 86 9 4 88 82
SAMPLE 01 4 86 9 4 88 82
SAMPLE 02 1 85 2 1 53 11
SAMPLE 02 2 85 2 1 53 11
SAMPLE 03 1 3 9 4 88 83
SAMPLE 03 2 3 9 4 88 83
Current Database
output_FCE.csv
<Log empty>

Double-clicking on a record within the display opens it in the Single Spell Grouping screen.

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

The space beneath each field name allows the user to enter filter criteria to limit the records displayed, based on one or more starting characters. Pressing the Enter key activates the filter.

The screenshot below shows the display file feature with an active filter:



Multiple criteria can be added by entering values in more than one column.

To remove a filter criterion, delete it and press the Enter key.

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

Picture

Picture is a feature of the record definition file that can be used to specify the inclusion and exclusion of specific character positions from input fields.


HRG4 2010/11 Reference Costs Grouper
File Edit Tools Help
C:\Program Files\NHS IC\HRG4 2010_11 RC Grouper\HRG4_sample_APC.rdf
Field Name | Field Title | Field No | Picture | Extract
PROCODET | PROCODET | 1
PROVSPNO | PROVSPNO | 2
EPIORDER | EPIORDER | 3
STARTAGE | STARTAGE | 4
SEX | SEX | 5
CLASSPAT | CLASSPAT | 6
ADMISORC | ADMISORC | 7
ADMIMETH | ADMIMETH | 8
DISDEST | DISDEST | 9
DISMETH | DISMETH | 10
EPIDUR | EPIDUR | 11
Current Database
C:\Program Files\NHS IC\HRG4 2010_11 RC Grouper\HRG4_sample_APC.rdf
<Log empty>
NHS
The Information Centre
for health and social care
RC 10/11

Picture allows the user to provide filtering instructions for each field by describing a character template. During file processing the application will apply this template to the field by selectively ignoring characters in specific positions within a data field.

An “A” character indicates a character position to be included in grouping and a full-stop indicates a character position to be ignored in grouping. The picture will be imposed on the data field prior to grouping i.e. the grouping algorithm is provided with the modified version of the field contents.

To use Picture, enter a character template in the ‘Picture’ column of the Record Definition File (RDF) using the grouper’s built-in RDF editor (accessed via the ‘File’, ‘Open RDF…’ menu item).

Notes:

- The characters in Picture should not be separated by spaces.
- Quote-marks should not be included.
- Picture can be used with alpha and numeric fields.
- Where the number of characters in the field exceeds the number of characters specified in Picture, the application will implement the Picture on the left-most portion of the field.

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

For this reason, care should be taken when using Picture with variable length fields as this may lead to unpredictable results.

- Picture is applied prior to data validation.
- Picture applies to file processing only; it does not affect single-spell grouping.

Picture Field Examples

In the examples below, the characters are shown surrounded by double-quotes for clarity. The data entered in the Picture column should not include double-quotes

Example 1

Entering a Picture of “AAA.AA” instructs the Grouper that the first three and the fifth and sixth characters of the field should be used. The fourth character is ignored.

Example 2

Entering a Picture of “.A.AAA” instructs the Grouper that the second character and characters four, five and six should be used; the first and third characters should be ignored.

Example 3

Entering a Picture of “.A.” indicates that the Grouper should use the second character only and ignore the first and third characters.

Example 4

Entering a Picture of “AA” indicates that the application should use only the first two characters in the field. Note that full stops are not required if consecutive characters from the beginning of the field are the only characters required.

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

Extract

Extract is a feature of the record definition file that can be used to make the grouper ignore specific characters in input fields, irrespective of character position.


HRG4 2010/11 Reference Costs Grouper
File Edit Tools Help
C:\Program Files\NHS IC\HRG4 2010_11 RC Grouper\HRG4_sample_APC.rdf
Field Name | Field Title | Field No | Picture | Extract
PROCODET | PROCODET | 1
PROVSPNO | PROVSPNO | 2
EPIORDER | EPIORDER | 3
STARTAGE | STARTAGE | 4
SEX | SEX | 5
CLASSPAT | CLASSPAT | 6
ADMISORC | ADMISORC | 7
ADMIMETH | ADMIMETH | 8
DISDEST | DISDEST | 9
DISMETH | DISMETH | 10
EPIDUR | EPIDUR | 11
Current Database
C:\Program Files\NHS IC\HRG4 2010_11 RC Grouper\HRG4_sample_APC.rdf
<Log empty>

To use Extract, enter one or more characters to be ignored in the ‘Extract’ column of the Record Definition File (RDF) using the grouper’s built-in RDF editor (accessed via the ‘File’, ‘Open RDF…’ menu item).

Because the grouper input files are comma-separated, it is not possible to extract the comma character using this facility.

More than one character can be entered in the Extract column. This informs the application that any occurrence of any of these characters in that field should be ignored in grouping. The application does not consider a series of characters as a string of characters to be ignored as a unit; each character entered is ignored wherever it appears in the input field.

Notes:

- The characters specified will be ignored wherever they appear in the input data field.
- There is no relationship between the position of the character in the extract field and the position of the characters in the input field.
- All occurrences of the characters are affected.
- Extract is applied prior to data validation.
- Extract applies to file processing only; it does not affect single-spell grouping.

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

Extract Field Examples

In the examples below, the characters are shown surrounded by double-quotes for clarity. The data entered in the Extract column should not include double-quotes unless it is intended that double-quotes are ignored in grouping.

Example 1

Entering an Extract character of "." informs the application that all occurrences of the full-stop should be ignored when processing that field. This is a convenient way to remove decimal points from a field in the input file. An input field containing the character string "abc…d" will be interpreted by the application as "abcd".

Example 2

Entering the characters "+$" in this field informs the application that any occurrences of both the "+" character and the "$" character are to be ignored by the application when processing that field. An input field containing the character string "46+$$++" will be interpreted by the application as "46".

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

Database Selection Screen

The database selection form provides both an alternative way of selecting the current database and a method for exporting database tables.

From the ‘Tools’ menu, choose ‘Select Database…’ to open the form shown below:



The Table drop-down box displays a list of data files that make up the currently chosen database. Selecting one will show a brief description of it in the accompanying area.

Clicking ‘Select’ will set the Grouper to use the selected database.

Clicking the ‘Export’ button will export the selected table, the user being prompted for a filename and location.

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

Current Database

The current database is shown on the main window of the application (see screenshot below).



The user must ensure that the Database selected matches the data type of the Record Definition File and the type of data to be grouped. Failure to ensure that the data type of the RDF and the database match will lead to grouping errors.

The Record Definition File box indicates the currently selected Record Definition File. When the file is within the grouper's installation folder, the full path is not shown. For files in folders outside of the grouper's installation folder, the full file path is displayed.

When the Record Definition File box list is dropped-down it shows Record Definition Files that have been used recently.



The 'Browse' button allows the user to locate Record Definition Files in the file system.

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

Appendices

Appendix A: Output Files

The output files aim to meet the needs of those familiar with relational data as well as those who require non-relational files. Relational outputs include "`_rel`" as a part of the output filename.

A single input file produces a number of output files. User requirements determine which files are used; some users may not require certain output files. In most cases an output field appears in more than one file.

Output files are produced as comma-separated text. These files may be opened with Microsoft Excel but very large files may exceed the maximum number of rows for Excel. In these cases an error message such as "File not loaded completely" will be displayed when attempting to open the file. The output files may be opened with a variety of applications, including Windows Notepad.

Use of 'RowNo' and 'Iteration' Fields

The 'RowNo' field provides a unique identifier for FCE records. This allows records in different output files to be linked.

For example, for Admitted Patient Care, in the case of unbundled HRGs, the file `[name]_ub_rel.csv` shows the unbundled HRGs for each output row. The field 'RowNo' contains the 'RowNo' of the matching output record in the file `[name]_FCE.csv`. If these files are imported to a relational database, the 'RowNo' fields can be used as the basis from which to derive keys to allow the relationship between these records to be represented.

Note that, depending on the files role in a relationship with other file 'RowNo' may not contain consecutive values i.e. there may be values missing; this is by design.

Where there is more than one related record, for example where there are more than one unbundled HRGs for an FCE, the field 'Iteration' is used to differentiate between the multiple related records.

Examples of where 'Iteration' is used are:

- an input row may generate more than one unbundled HRG
- an input row may result in more than one data quality message

There is no significance to the numerical values of 'Iteration', the numbers are assigned in order according to the order of the input data (the sorted input data in the case of files that are sorted prior to grouping).

Output File Field Lists

In the tables that follow, the file name supplied by the user during processing is referred to as [name]; the remainder of the file name is a standard suffix that is appended by the grouper.

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

Admitted Patient Care

There are eleven output files.

File Name/Field Name	Comment
[name].csv	A list of other output files; this file is for validation only.
[name]_sort.csv	A copy of the input data after it has been sorted into Provider Code, Spell Number and Episode Number order prior to grouping.
<input data>	All of the input data, including any non-mandatory fields.
RowNo	See the section “Use of ‘RowNo’ and ‘Iteration’ Fields” above.
[name]_FCE.csv	Contains both FCE and spell output fields. The spell fields are repeated for each episode in the spell; care must be taken to avoid double-counting when using spell fields.
<input data>	All of the input data, including any non-mandatory fields.
RowNo	See the section “Use of ‘RowNo’ and ‘Iteration’ Fields” above.
FCE_HRG	The episode HRG.
GroupingMethodFlag	The grouping method used for the episode. “P”=Procedure-driven, “D”=Diagnosis-driven, “M”=Multiple trauma.
DominantProcedure	The dominant procedure used for procedure-based grouping.
FCE_PBC	Programme Budgeting Code.
CalcEpidur	The calculated episode duration. This is the input Episode duration minus the number of days in the input fields CRITICALCAREDAYS, REHABILITATIONDAYS and SPCDAYS.
ReportingEpidur	The episode duration used when generating reports. The value in this field is the same as CalcEpidur except in the case of ordinary admissions (Patient Classification=1) where CalcEpidur is zero. In these cases the value is incremented from the CalcEpidur value of zero days to one day. This reflects the fact that the reports produced by the Reference Costs groupers are tailored specifically for Reference Costs requirements.
FCETrimpoint	The trimpoint for the episode HRG.
FCEExcessBeddays	The number of days by which the episode duration exceeds the trimpoint.
SpellReportFlag	Used in Reference Costs groupers when generating reports from grouped data.
SpellHRG	The spell HRG.

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

File Name/Field Name	Comment
SpellGroupingMethodFlag	The grouping method used for the spell. “P”=Procedure-driven, “D”=Diagnosis-driven, “M”=Multiple trauma.
SpellDominantProcedure	The dominant procedure for the spell.
SpellPDiag	The primary diagnosis used when spell grouping.
SpellSDiag	The first secondary diagnosis used when spell grouping.
SpellEpisodeCount	The number of episodes in the spell.
SpellLoS	The spell duration used for grouping. This is the total of the CalcEpidur fields for the episodes in the spell.
ReportingSpellLoS	The spell duration used when generating reports. This is the total of the ReportingEpidur fields for the episodes in the spell.
SpellTrimpoint	The trimpoint for the spell HRG.
SpellExcessBeddays	The number of days by which the spell duration exceeds the trimpoint.
SpellCCDays	The number of critical care days in the spell.
SpellPBC	Programme Budgeting Code for the spell.
UnbundledHRGs	A variable number of fields containing unbundled HRGs (at episode level). Unbundled HRGs are appended to the end of each record; there may be zero, one or more unbundled HRGs per record. There is no significance to the order in which unbundled HRGs are output. For Specialist Palliative Care and Rehabilitation unbundled HRGs, where there is more than one daily HRG, the field consists of an HRG, followed by an asterisk, followed by the number of days, rather than the HRG repeated for every day. E.g. VC18Z*20 indicates VC18Z for 20 days.
[name]_spell.csv	Contains one row per spell. Includes all of the Specialised Service Codes (SSCs) generated for the spell.
RowNo	See the section “Use of ‘RowNo’ and ‘Iteration’ Fields” above.
Procodet	The organisation code from the input file.
ProvSpNo	The hospital provider spell number from the input file.
SpellHRG	The spell HRG.
SpellGroupingMethodFlag	The grouping method used for the spell. “P”=Procedure-driven, “D”=Diagnosis-driven, “M”=Multiple trauma.
SpellDominantProcedure	The dominant procedure for the spell.

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

File Name/Field Name	Comment
SpellPDiag	The primary diagnosis used for spell grouping.
SpellSDiag	The first secondary diagnosis used for spell grouping.
SpellEpisodeCount	The number of episodes in the spell.
SpellLoS	The spell duration used for grouping.
ReportingSpellLoS	The spell duration used when generating reports.
SpellTrimpoint	The trimpoint for the spell HRG.
SpellExcessBeddays	The number of days by which the spell duration exceeds the trimpoint.
SpellCCDays	The number of critical care days in the spell.
SpellPBC	Programme Budgeting Code for the spell.
SpellSSC1-SpellSSC10	These fields are populated by payment groupers only.
UnbundledHRGs	All unbundled HRGs produced for episodes in the spell. There is no significance to the order in which unbundled HRGs are output.
[name]_quality.csv	Contains a row for each episode that contains an error. Where one or more episodes within a multi-episode spell contain errors, all the episodes from the spell, including those that do not contain errors, are included in the quality file. Thus there are records in the quality file that do not include error messages.
<input data>	All of the input data for the FCE, including any non-mandatory fields, are reproduced in the output.
RowNo	See the section “Use of ‘RowNo’ and ‘Iteration’ Fields” above.
Error Message	A variable number of fields, each consisting of Code Type, Code and Error Message, separated by pipe (|) symbols.
[name]_FCE_rel.csv	Contains the FCE-level output in relational form.
RowNo	See the section “Use of ‘RowNo’ and ‘Iteration’ Fields” above.
FCE_HRG	The episode HRG.
GroupingMethodFlag	The grouping method used for the episode. “P”=Procedure-driven, “D”=Diagnosis-driven, “M”=Multiple trauma.
DominantProcedure	The dominant procedure used for procedure-based grouping.
FCE_PBC	Programme Budgeting Code.
CalcEpidur	The calculated episode duration. This is the input Episode duration minus the number of days in the input fields CRITICALCAREDAYS, REHABILITATIONDAYS and SPCDAYS.

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

File Name/Field Name	Comment
ReportingEpidur	The episode duration used when generating reports. The value in this field is the same as CalcEpidur except in the case of ordinary admissions (Patient Classification=1) where CalcEpidur is zero. In these cases the value is incremented from the CalcEpidur value of zero days to one day. This reflects the fact that the reports produced by Reference Costs groupers are tailored specifically for reference cost requirements.
FCETrimpoint	The trimpoint for the episode HRG.
FCEExcessBeddays	The number of days by which the episode duration exceeds the trimpoint.
SpellReportFlag	Used in Reference Costs groupers when generating reports from grouped data.
[name]_spell_rel.csv	Contains the Spell-level output in relational form. There is one row per spell.
RowNo	See the section “Use of ‘RowNo’ and ‘Iteration’ Fields” above.
Procodet	The organisation code from the input file.
ProvSpNo	The hospital provider spell number from the input file.
SpellHRG	The spell HRG.
SpellGroupingMethodFlag	The grouping method used for the spell. “P”=Procedure-driven, “D”=Diagnosis-driven, “M”=Multiple trauma.
SpellDominantProcedure	The Dominant procedure for the spell.
SpellPDiag	The primary diagnosis used when spell grouping.
SpellSDiag	The first secondary diagnosis used when spell grouping.
SpellEpisodeCount	The number of episodes in the spell.
SpellLoS	The spell duration used for grouping.
ReportingSpellLoS	The spell duration used when generating reports.
SpellTrimpoint	The trimpoint for the spell HRG.
SpellExcessBeddays	The number of days by which the spell duration exceeds the trimpoint.
SpellCCDays	The number of critical care days in the spell.
SpellPBC	Programme Budgeting Code for the spell.
[name]_quality_rel.csv	Includes a row for each episode that contains an error, in relational form.
RowNo	See the section “Use of ‘RowNo’ and ‘Iteration’ Fields” above.
Iteration	See the section “Use of ‘RowNo’ and ‘Iteration’ Fields” above.
Code Type	The type of code that has failed validation.

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

File Name/Field Name	Comment
Code	The value of the code that has failed validation. Blank where the code is missing from the input data.
Error Message	Description of the error.
[name]_ssc_rel.csv	This file is populated by payment groupers only.
RowNo	See the section “Use of ‘RowNo’ and ‘Iteration’ Fields” above.
Procodet	The organisation code from the input file.
ProvSpNo	The hospital provider spell number from the input file.
Iteration	See the section “Use of ‘RowNo’ and ‘Iteration’ Fields” above.
SpellSSC	The SSC derived for the spell.
[name]_ub_rel.csv	The unbundled HRGs. There are no entries for episodes that do not have any unbundled HRGs.
RowNo	See the section “Use of ‘RowNo’ and ‘Iteration’ Fields” above.
Iteration	See the section “Use of ‘RowNo’ and ‘Iteration’ Fields” above.
UnbundledHRGs	The unbundled HRGs. There is no significance to the order in which unbundled HRGs are output.
[name]_summary.csv	A single-row file containing details about the grouping session.
Grouper Version	The version of the grouper that produced the output files.
Database Version	The grouper’s internal HRG database version.
FCE Count	The number of episodes submitted.
Spell Count	The number of spells submitted.
FCE Error Count	The number of episodes having errors.
Spell Error Count	The number of spells having errors.
Run Start Date/Time	The date and time that the grouping session started.
Run End Date/Time	The date and time that the grouping session finished.
Input Filename	The path and filename of the input file.
Output Filename	The path and filename selected by the user.
RDF path and name	The path and filename of the Record Definition File used for grouping.

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

Non-Admitted Consultations

There are seven output files.

File Name/Field Name	Comment
[name].csv	A list of other output files; this file is for validation only.
[name]_attend.csv	
<input data>	All of the input data, including any non-mandatory fields.
RowNo.	See the section “Use of ‘RowNo’ and ‘Iteration’ Fields” above.
NAC_HRG	The attendance HRG.
GroupingMethodFlag	The grouping method used for the attendance.
DominantProcedure	The dominant procedure used for procedure-based grouping.
UnbundledHRGs	A variable number of fields containing unbundled HRGs (at episode level). Unbundled HRGs are appended to the end of each record; there may be zero, one or more unbundled HRGs per record. There is no significance to the order in which unbundled HRGs are output.
[name]_quality.csv	Contains one row for each attendance that contains errors.
<input data>	All of the input data, including any non-mandatory fields.
RowNo	See the section “Use of ‘RowNo’ and ‘Iteration’ Fields” above.
Error Message	A variable number of fields, each consisting of Code Type, Code and Error Message, separated by pipe (|) symbols.
[name]_attend_rel.csv	
<input data>	All of the input data, including any non-mandatory fields.
RowNo	See the section “Use of ‘RowNo’ and ‘Iteration’ Fields” above.
NAC_HRG	The attendance HRG.
GroupingMethodFlag	The grouping method used for the attendance.
DominantProcedure	The dominant procedure used for procedure-based grouping.
[name]_quality_rel.csv	All of the error messages in relational form. There are no entries for attendances that do not contain errors.
RowNo	See the section “Use of ‘RowNo’ and ‘Iteration’ Fields” above.
Iteration	See the section “Use of ‘RowNo’ and ‘Iteration’ Fields” above.

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

File Name/Field Name	Comment
Code Type	The type of code that has failed validation.
Code	The value of the code that has failed validation. Blank where the code is missing from the input data.
Error Message	Description of the error.
[name]_ub_rel.csv	The unbundled HRGs. There are no entries for attendances that do not have unbundled HRGs.
RowNo	See the section “Use of ‘RowNo’ and ‘Iteration’ Fields” above.
Iteration	See the section “Use of ‘RowNo’ and ‘Iteration’ Fields” above.
UnbundledHRG	The unbundled HRG. There is no significance to the order in which unbundled HRGs are output.
[name]_summary.csv	A single-row file containing details about the grouping session.
Grouper Version	The version of the grouper that produced the output files.
Database Version	The grouper’s internal HRG database version.
Attendance Count	The number of records submitted.
Attendance Error Count	The number of records having errors.
Run Start Date/Time	The date and time that the grouping session started.
Run End Date/Time	The date and time that the grouping session finished.
Input Filename	The path and filename of the input file.
Output Filename	The path and filename selected by the user.
RDF path and name	The path and filename of the Record Definition File used for grouping.

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

Emergency Medicine

There are five output files.

File Name/Field Name	Comment
[name].csv	A list of other output files; this file is for validation only.
[name]_attend.csv	
<input data>	All of the input data, including any non-mandatory fields.
RowNo	See the section “Use of ‘RowNo’ and ‘Iteration’ Fields” above.
EM_HRG	The attendance HRG.
[name]_quality.csv	Contains a row for each input record that has errors.
<input data>	All of the input data, including any non-mandatory fields.
RowNo	See the section “Use of ‘RowNo’ and ‘Iteration’ Fields” above.
Error Message	A variable number of fields, each consisting of Code Type, Code and Error Message, separated by pipe (|) symbols.
[name]_quality_rel.csv	All of the error messages in relational form. There are no entries for records that do not contain errors.
RowNo	See the section “Use of ‘RowNo’ and ‘Iteration’ Fields” above.
Iteration	See the section “Use of ‘RowNo’ and ‘Iteration’ Fields” above.
Code Type	The type of code that has failed validation.
Code	The value of the code that has failed validation. Blank where the code is missing from the input data.
Error Message	Description of the error.
[name]_summary.csv	A single-row file containing details about the grouping session.
Grouper Version	The version of the grouper that produced the output files.
Database Version	The grouper’s internal HRG database version.
Attendance Count	The number of records submitted.
Attendance Error Count	The number of records having errors.
Run Start Date/Time	The date and time that the grouping session started.
Run End Date/Time	The date and time that the grouping session finished.
Input Filename	The path and filename of the input file.
Output Filename	The path and filename selected by the user.
RDF path and name	The path and filename of the Record Definition File used for grouping.

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

Renal Dialysis (National Renal Dataset)

There are five output files.

File Name/Field Name	Comment
[name].csv	A list of other output files; this file is for validation only.
[name]_renal.csv	
<input data>	All of the input data, including any non-mandatory fields.
RowNo	See the section “Use of ‘RowNo’ and ‘Iteration’ Fields” above.
NRD_HRG	The HRG for the dialysis record.
[name]_quality.csv	Contains one row for each record that contains errors.
<input data>	All of the input data for the record, including any non-mandatory fields.
RowNo	See the section “Use of ‘RowNo’ and ‘Iteration’ Fields” above.
Error Message	A variable number of fields, each consisting of Code Type, Code and Error Message, separated by pipe (|) symbols.
[name]_quality_rel.csv	All of the error messages in relational form. There are no entries for records that do not contain errors.
RowNo	See the section “Use of ‘RowNo’ and ‘Iteration’ Fields” above.
Iteration	See the section “Use of ‘RowNo’ and ‘Iteration’ Fields” above.
Code Type	The type of code that has failed validation.
Code	The value of the code that has failed validation. Blank where the code is missing from the input data.
Error Message	Description of the error.
[name]_summary.csv	A single-row file containing details about the grouping session.
Grouper Version	The version of the grouper that produced the output files.
Database Version	The grouper’s internal HRG database version.
NRD Record Count	The number of records submitted.
NRD Record Error Count	The number of records having errors.
Run Start Date/Time	The date and time that the grouping session started.
Run End Date/Time	The date and time that the grouping session finished.
Input Filename	The path and filename of the input file.
Output Filename	The path and filename selected by the user.
RDF path and name	The path and filename of the Record Definition File used for grouping.

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

Adult Critical Care

There are five output files.

File Name/Field Name	Comment
[name].csv	A list of other output files; this file is for validation only.
[name]_acc.csv	
<input data>	All of the input data, including any non-mandatory fields.
RowNo	See the section “Use of ‘RowNo’ and ‘Iteration’ Fields” above.
ACC_HRG	The unbundled HRG for the ACC period. All ACC HRGs are unbundled.
Calc_CC_Days	The number of CC days calculated as: CC Discharge Date - CC Start Date + 1. This will be set to -1 if there are problems with the dates.
CC_Warning_Flag	A flag to indicate the result of the validation of CC Start Date and CC Discharge Date. Possible values are F or Blank. A value of F indicates a failure of date validation. Where the field is blank this indicates that the date fields are considered valid. This field is for warning purposes only; failure of date validation does not prevent the derivation of an HRG. The flag is set to F if any of the following are true: • Calc_CC_Days = -1. This indicates that: » CC Discharge Date is Before CC Start Date » CC Start Date or CC Discharge Date: - Is blank - Is not a valid date - Doesn’t match the required format • CCL2 Days + CCL3 Days > Calc_CC_Days • ARSD + BRSD > Calc_CC_Days • ARSD + BRSD > CCL2 Days + CCL3 Days
[name]_quality.csv	Contains one row for each record that contains errors.
<input data>	All of the input data for the record, including any non-mandatory fields.
RowNo	See the section “Use of ‘RowNo’ and ‘Iteration’ Fields” above.
Error Message	A variable number of fields, each consisting of Code Type, Code and Error Message, separated by pipe (|) symbols.
[name]_quality_rel.csv	All of the error messages in relational form. There are no entries for records that do not contain errors.

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

File Name/Field Name	Comment
RowNo	See the section “Use of ‘RowNo’ and ‘Iteration’ Fields” above.
Iteration	See the section “Use of ‘RowNo’ and ‘Iteration’ Fields” above.
Code Type	The type of code that has failed validation.
Code	The value of the code that has failed validation. Blank where the code is missing from the input data.
Error Message	Description of the error.
[name]_summary.csv	A single-row file containing details about the grouping session.
Grouper Version	The version of the grouper that produced the output files.
Database Version	The grouper’s internal HRG database version.
ACC Period Count	The number of records submitted.
Periods Error Count	The number of records having errors.
Run Start Date/Time	The date and time that the grouping session started.
Run End Date/Time	The date and time that the grouping session finished.
Input Filename	The path and filename of the input file.
Output Filename	The path and filename selected by the user.
RDF path and name	The path and filename of the Record Definition File used for grouping.

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

Neonatal Critical Care

There are six output files.

File Name/Field Name	Comment
[name].csv	A list of other output files; this file is for validation only.
[name]_sort.csv	A copy of the input data after it has been sorted.
<input data>	All of the input data, including any non-mandatory fields.
RowNo	See the section “Use of ‘RowNo’ and ‘Iteration’ Fields” above.
[name]_ncc.csv	The main grouped output file.
<input data>	All of the input data, including any non-mandatory fields.
RowNo	See the section “Use of ‘RowNo’ and ‘Iteration’ Fields” above.
NCC_HRG	The unbundled HRG for the NCC day. All NCC HRGs are unbundled.
[name]_quality.csv	Contains one row for each record that has errors.
<input data>	All of the input data, including any non-mandatory fields.
RowNo	See the section “Use of ‘RowNo’ and ‘Iteration’ Fields” above.
Error Message	A variable number of fields, each consisting of Code Type, Code and Error Message, separated by pipe (|) symbols.
[name]_quality_rel.csv	All of the error messages in relational form.
RowNo	See the section “Use of ‘RowNo’ and ‘Iteration’ Fields” above.
Iteration	See the section “Use of ‘RowNo’ and ‘Iteration’ Fields” above.
Code Type	The type of code that has failed validation.
Code	The value of the code that has failed validation. Blank where the code is missing from the input data.
Error Message	Description of the error.
[name]_summary.csv	A single-row file containing details about the grouping session.
Grouper Version	The version of the grouper that produced the output files.
Database Version	The grouper’s internal HRG database version.
NCC Record Count	The number of records submitted.
NCC Record Error Count	The number of records having errors.
Run Start Date/Time	The date and time that the grouping session started.
Run End Date/Time	The date and time that the grouping session finished.
Input Filename	The path and filename of the input file.
Output Filename	The path and filename selected by the user.

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

File Name/Field Name	Comment
RDF path and name	The path and filename of the Record Definition File used for grouping.

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

Paediatric Critical Care

There are six output files.

File Name/Field Name	Comment
[name].csv	A list of other output files; this file is for validation only.
[name]_sort.csv	A copy of the input data after it has been sorted.
<input data>	All of the input data, including any non-mandatory fields.
RowNo	See the section “Use of ‘RowNo’ and ‘Iteration’ Fields” above.
[name]_pcc.csv	The main grouped output file.
<input data>	All of the input data, including any non-mandatory fields.
RowNo	See the section “Use of ‘RowNo’ and ‘Iteration’ Fields” above.
PCC_HRG	The unbundled HRG for the PCC day. All PCC HRGs are unbundled.
[name]_quality.csv	Contains one row for each record that has errors.
<input data>	All of the input data for the record, including any non-mandatory fields.
RowNo	See the section “Use of ‘RowNo’ and ‘Iteration’ Fields” above.
Error Message	A variable number of fields, each consisting of Code Type, Code and Error Message, separated by pipe (|) symbols.
[name]_quality_rel.csv	All of the error messages in relational form.
RowNo	See the section “Use of ‘RowNo’ and ‘Iteration’ Fields” above.
Iteration	See the section “Use of ‘RowNo’ and ‘Iteration’ Fields” above.
Code Type	The type of code that has failed validation.
Code	The value of the code that has failed validation. Blank where the code is missing from the input data.
Error Message	Description of the error.
[name]_summary.csv	A single-row file containing details about the grouping session.
Grouper Version	The version of the grouper that produced the output files.
Database Version	The grouper’s internal HRG database version.
PCC Record Count	The number of records submitted.
PCC Record Error Count	The number of records having errors.
Run Start Date/Time	The date and time that the grouping session started.
Run End Date/Time	The date and time that the grouping session finished.
Input Filename	The path and filename of the input file.

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

File Name/Field Name	Comment
Output Filename	The path and filename selected by the user.
RDF path and name	The path and filename of the Record Definition File used for grouping.

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

Appendix B: U Groups and Error Reporting

Background

As part of the grouping process, the grouper carries out validation checks on many of the mandatory input fields. Where one or more fields fail validation, the grouper derives the HRG UZ01Z (Data Invalid for Grouping).

For single-episode spells, where the episode fails validation, the error HRG is derived at both episode and spell level.

For multi-episode spells that contain a mixture of episodes that pass validation and episodes that fail validation, the error HRG is derived for each episode that fails validation and for every episode in the spell at spell level.

Details of all errors encountered are reported in a grouper output file called the quality file. The output file listings in Appendix A include a description of the quality file for each of the data types processed by the grouper.

The Guide to File Preparation document describes the grouper's field validation.

Details of clinical coding validation can be found in the chapter summary documentation for chapter UZ (Undefined Groups) which can be downloaded from the Casemix website at www.ic.nhs.uk/services/the-casemix-service/using-this-service/reference/downloads.

Error Message Format

The error messages in the quality file are in three sections, the sections being separated by a pipe (|) character. The format is as follows:

```
Code Type|Code|Error Description
```

'Code Type' identifies the field or field type, code is the unrecognised value (where a value exists) and 'Error Description' explains the nature of the error.

For example:

```
ICD|P102|UZ03 - Diagnosis Conflicts with Age in DIAG_01
```

Where the error relates to the absence of a code, for example a missing primary diagnosis, the central 'code' section of the error message is blank.

Error Types

There are three types of errors.

Field Validation Errors

These are generated where field values are missing or outside the accepted range of values.

Example error messages of this type are:

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

```
ICD||Primary diagnosis is blank

ICD|XX68|Code not recognised in DIAG_01

OPCS|C992|Code not recognised in OPER_02
```

Spell Validation Errors

These result from cross checks across records in a spell.

For example where consistency checks for sex code or age are failed:

```
SEX||Not the same in all episodes in the spell

AGE||Falls in FCEs in this Spell
```

Please note that the NHS Data Dictionary states that "A known EPISODE NUMBER can be between 01 to 87"; the Grouper does not recognise spells containing more than 87 episodes.

Clinical Coding Errors

Most of these result from the use of clinical codes that do not exist in the coding system, violate clinical coding convention or are not useful resource indicators for HRG grouping.

Clinical coding errors produce error messages that contain error category codes; these are described in the following section.

Error Categories

The error categories are used mainly for clinical coding errors. Critical Care grouping error descriptions also include error category codes.

UZ01: Invalid Primary Diagnosis

'UZ01' indicates an invalid primary diagnosis. This means that the diagnosis code is present, but it should not be used in a primary position according to the clinical coding conventions..

For example:

```
ICD|Z509|UZ01 - Invalid Primary Diagnosis in DIAG_01
```

(Z509: Care involving use of rehabilitation procedure, unspecified)

UZ02: Poorly Coded Primary Diagnosis

'UZ02' indicates a poorly coded *primary* diagnosis. The diagnosis code is valid as a primary diagnosis but is too vague to determine the resource use.

For example:

```
ICD|T140|UZ02 - Poorly Coded Primary Diagnosis in DIAG_01
```

(T140: Superficial injury of unspecified body region)

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

UZ03: Diagnosis Conflicts with Age

'UZ03' indicates that a paediatric primary diagnosis has been recorded for an adult patient (age 19 years and over).

For example:

```
ICD|P704|UZ03 - Diagnosis Conflicts with Age in DIAG_01
```

(P704: Other neonatal hypoglycaemia)

UZ04: Diagnosis Conflicts with Anatomical Site

'UZ04' indicates an invalid combination of

primary diagnosis and anatomical site. This only applies to specific musculoskeletal codes entered at 5th digit level.

For example:

```
ICD|M6607|UZ04 - Diagnosis Conflicts with Anatomical Site in DIAG_01
```

(M6607: Rupture of popliteal cyst-Ankle/foot)

UZ05: Invalid Dominant Procedure

'UZ05' indicates an invalid dominant procedure, e.g. an anatomical site, and includes the entire Y (methods of operations) and Z (anatomical sites) codes and also a number of codes in the main body system chapters.

For example:

```
OPCS|Y841|UZ05 - Invalid Dominant Procedure in OPER_02
```

```
OPCS|W450|UZ05 - Invalid Dominant Procedure in OPER_02
```

(Y841: Gas and air analgesia in labour

W540: Conversion from previous prosthetic replacement of articulation of bone NEC)

UZ06: Poorly Coded Procedure

'UZ06' indicates a dominant or unbundled procedure that is too vague and unspecific to determine resource use from an HRG design perspective.

For example:

```
OPCS|A579|UZ06 - Poorly Coded Procedure in OPER_02
```

```
OPCS|U019|UZ06 - Poorly Coded Procedure in OPER_01
```

(A579: Unspecified operations on spinal nerve root

U019: Unspecified diagnostic imaging of whole body)

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

UZ11: Not a Neonatal Period of Care

This is a general purpose grouping error for Neonatal Critical Care and is generated when the input record does not meet any of the criteria in the neonatal critical care grouping algorithm.

UZ12: Not a Paediatric Period of Care

This is a general purpose grouping error for Paediatric Critical Care and is generated when the input record does not meet any of the criteria in the paediatric critical care grouping algorithm.

UZ13: ACC Grouping Error

This is a general purpose grouping error for Adult Critical Care and is generated when the input record does not meet any of the criteria in the adult critical care grouping algorithm.

Notes

- When one error is found in a record, the grouper doesn't stop the validation process. The grouping software aims to identify all errors and output them together.
- In Admitted Patient Care data, primary diagnosis is always validated.
- All clinical codes are validated against the grouper's internal database of codes.

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.

Appendix C: Sample Record Definition File

The screenshot below shows the Admitted Patient Care sample Record Definition File ("HRG4_sample_APC.rdf") that is provided with the grouper installation, viewed from within the grouper application (using 'Open RDF…' from the 'File' menu):

Field Name	Field Title	Field No	Picture	Extract
PROCODET	PROCODET	1		
PROVSPNO	PROVSPNO	2		
EPIORDER	EPIORDER	3		
STARTAGE	STARTAGE	4		
SEX	SEX	5		
CLASSPAT	CLASSPAT	6		
ADMISORC	ADMISORC	7		
ADMIMETH	ADMIMETH	8		
DISDEST	DISDEST	9		
DISMETH	DISMETH	10		
EPIDUR	EPIDUR	11		
MAINSPEF	MAINSPEF	12		
NEOCARE	NEOCARE	13		
TRETSPEF	TRETSPEF	14		
DIAG_01	DIAG_01	15		
DIAG_02	DIAG_02	16		
DIAG_03	DIAG_03	17		
DIAG_04	DIAG_04	18		
DIAG_05	DIAG_05	19		
DIAG_06	DIAG_06	20		
DIAG_07	DIAG_07	21		
DIAG_08	DIAG_08	22		
DIAG_09	DIAG_09	23		
DIAG_10	DIAG_10	24		
DIAG_11	DIAG_11	25		
DIAG_12	DIAG_12	26		
DIAG_13	DIAG_13	27		
DIAG_14	DIAG_14	28		
OPER_01	OPER_01	29		
OPER_02	OPER_02	30		
OPER_03	OPER_03	31		
OPER_04	OPER_04	32		
OPER_05	OPER_05	33		
OPER_06	OPER_06	34		
OPER_07	OPER_07	35		
OPER_08	OPER_08	36		
OPER_09	OPER_09	37		
OPER_10	OPER_10	38		
OPER_11	OPER_11	39		
OPER_12	OPER_12	40		
CRITICALCAREDAYS	CRITICALCAREDAYS	41		
REHABILITATIONDAYS	REHABILITATIONDAYS	42		
SPCDAYS	SPCDAYS	43		

Copyright © 2011, The NHS Information Centre, The Casemix Service. All rights reserved.